

نشرة الا تحاد العالمي للجمعيات الطبية الاسلامية

e-newsletter of Federation of Islamic Medical Associations

Special Ramadhan issue

Volume 1. Issue 9, August- 2010

Message From the President



The month of Ramadan is a month in which the Mercy and Blessings of Allah Ta'ala descend upon whole of mankind continuously. The whole Qur'aan was sent down to the first sky from Lawhe Mahfooz, There is the night of Oadr, which is better than 1000 months. The thawaab of good deed is equal to the fardh of another month. The first ten days are of mercy, second ten days are of forgiveness and the last ten days are of being freed from Hell. This is the month of patience and the reward of this patience is Jannah. Abu Hurairah (radhiallâhu ânhu) reported that the Messenger of Allah Sall Allahu alayhi wa sallam said: "Ramadaan has come to you - a blessed month. Allah has made obligatory upon you its fasting. In it, the gates of Heaven are open, the gates of the Hellfire are closed and the evil devils are chained. To Allah belongs a night in it, which is better than a thousand months. Whosoever is


prevented from its good, then he has been deprived." (reported by Ahmad and An-Nasaa'ee.) "O Allah! Protect me (from such sicknesses, diseases, etc. that will prevent me from observing the fast of Ramadhan, make the month of Ramadhan clear for me and save me from sins in the month of Ramadhan so that my acts of worship are accepted and not nullified".

This brief guideline (reprinted with permission) on health issues related to Ramadhan is immensly useful for medical doctors, their patients & public at large to know more about health issues related to it in light of Islamic & Shariah principles. May Allah Subhanahu wa Ta'ala make us from amongst those who are foremost in attaining good deeds.

Aameen.

Dr. Parvaiz Malik, President FIMA





Contents

FASTING is complete abstinence from food and drink between dawn and dusk. All those ill or frail, pregnant and menstruating women, breast feeding mothers and travellers are exempted. They are required to make the number of days missed at a later date or give a fixed sum in charity.

- Foreword
- Acknowledgements and Useful Contact



- The Physiological Changes that Occur During a Fast


- Foods that Harm and Foods that Benefit
 - Spirituality and Food
 - What could you gain from fasting?
 - Potential Health Complications
 - Frequently Asked Questions
 - Key Points
 - Tips for Doctors

Introduction




Health is the key to happiness and what we consume directly affects our health. Islam encourages Muslims to ensure that they are mindful of their health. The blessed Prophet said: "Take advantage of the good health before illnesses afflict you". He also encouraged Muslims to try their best to take up healthy living lifestyle that includes a balanced diet, regular mental and physical exercise and a balance between material and spiritual needs.

The Health Survey of England 2004 has shown poor health and lifestyle choices of the Asian community in general and Muslim community in particular. Compared with the 24% of men in the general population who smoked cigarettes, higher levels of cigarette smoking were reported by Bangladeshi men (40%). South Asian men and women had the highest rates of diabetes. Pakistanis and Bangladeshis were up to five times more likely than the general population to have diabetes, and Indian men and women were up to three times as likely. Some 33% of Pakistani men and women eat recommended five or more portions of fruit and vegetable a day, compared with 28% of Bangladeshi men and women.



This booklet is aimed at helping you understand the health issues related to fasting so that you are able to make more informed choices, minimize complications and maximize on the benefit of your fast. The booklet will guide you through physiological changes that occur when you are fasting; give examples of beneficial and harmful foods during fasting, discuss potential medical problems and remedies, suggest a diet plan and respond to the most frequently asked questions about fasting in general and medical issues in particular. The booklet also contains a chapter for doctors and medical professionals to enable them to provide more informed services.

The booklet has been put together by medical experts, Islamic scholars and researchers who have stayed within the spirit of Islam while ensuring the medical advice and suggestions are scientific and culturally sensitive.



The Physiological Changes that Occur During a Fast —

For many people the key question regarding fasting is whether it is good or bad for your health. The answer to this requires a quick overview of what happens inside the body during fasting: the physiology of fasting. The changes that occur in the body in response to fasting depend on the length of the continuous fast. Technically the body enters into a fasting state eight hours or so after the last meal, when the gut finishes absorption of nutrients from the food. In the normal state, body glucose, which is stored in the liver and muscles, is the body's main source of energy. During a fast, this store of glucose is used up first to provide energy. Later in the fast, once the stores of glucose run out, fat becomes the next store source of energy for the body. Small quantities of glucose are also 'manufactured' through other mechanisms in the liver.

Only with a prolonged fast of many days to weeks, does the body eventually turn to protein for energy. This is the technical description of what is commonly known as 'starvation', and it is clearly unhealthy. It involves protein being released from the breakdown of muscle which is why people who starve look emaciated and become very weak. As the Ramadan fast only extends from dawn till dusk, there is ample opportunity to replenish energy stores at pre-dawn and dusk meals. This provides a progressive gentle transition from using glucose to fat as the main source of energy, and prevents the breakdown of muscle for protein. The use of fat for energy aids weight loss, preserving the muscles, and in the long run reduces your cholesterol levels. In addition weight loss results in better control of diabetes and reduces blood pressure. A detoxification process also seems to occur, as any toxins stored in the body's fat are dissolved and removed from the body. After a few days of the fast, higher levels of certain hormones appear in the blood (endorphins), resulting in a better level of alertness and an overall feeling of general mental well-being.

Balanced food and fluid intake is important between fasts. The kidney is very efficient at maintaining the body's water and salts, such as sodium and potassium. However, these can be lost through sweating, to prevent muscle break down, meals must contain adequate levels of 'energy food' such as carbohydrates and some fat. Hence, a balanced diet with adequate quantities of nutrients, salts and water is vital.

Foods that Harm and Foods that Benefit




The fasts of Ramadan can improve a person's health but - if the correct diet is not followed - can possibly worsen it! The deciding factor is not the fast itself, but rather what is consumed in the non-fasting hours. To fully benefit from fasting a person should spare a great deal of thought to the type and quantity of food they will indulge in through the blessed month. As mentioned in the section on spirituality overeating can not only harm the body but it is thought to also interfere with a person's spiritual growth during the month. A diet that has less than a normal amount of food but is sufficiently balanced will keep a person healthy and active during the month of Ramadan. The diet should be simple and not differ too much from one's normal everyday diet. It should contain foods from all the major food groups as shown in the model.





Complex Carbohydrates are foods that will help release energy slowly during the long hours of fasting. Complex carbohydrates are found in grains and seeds, like barley, wheat, oats, millets, semolina, beans, lentils, wholemeal flour, basmati rice, etc.

Fibre-rich foods are also digested slowly and include bran, cereals, whole wheat, grains and seeds, potatoes with the skin, vegetables such as green beans and almost all fruit including apricots, prunes, figs, etc.













Foods to avoid	Healthy/ Alternative foods
Deep fried foods eg pakoras, samo- sas, fried dumplings	Whole grains e.g. chick peas plain, or with potato in yogurt with different Indian spices, samosas baked instead of fried and boiled dumplings
High sugar / high fat foods e.g. Indian sweets such as Ghulab Jamun, Ras- gullay, Balushahi, Baklawa etc	Milk-based sweets and puddings such as Rasmalai, Barfee etc
High fat cooked foods such as parhat- tas, oily curries, greasy pastries	Alternate with chapattis made without oil, baked or grilled meat and chicken. Try to make pastry at home and use a single layer
Cooking methods to avoid	Alternative cooking methods
Deep frying	Shallow frying, usually there is very little difference in taste
Frying	Grilling or baking is healthier and helps retain the taste and original flavour of the food, especially chicken and fish
Curries with excessive oil	Start with measuring the oil used in curry and try to bring the oil content down gradually ie reducing 5 tablespoons to 4. This is a good way of reducing oil without noticing much difference in the taste. A useful tip is to use more onions and tomatoes in the bulk of the curry.

Foods to avoid are the heavily-processed, fastburning foods that contain refined carbohydrates in the form of sugar, white flour, etc. as well as of course, too much fatty foods (e.g. cakes, biscuits, chocolates and sweets, such as Indian Mithai). It may also be worth avoiding the caffeine content in drinks such as tea, coffee and cola. (Caffeine is a diuretic and stimulates faster water loss through urination).









Suhoor, the pre-dawn meal should be a wholesome, moderate meal that is filling and provides enough energy for many hours. It is therefore particularly important to include slowly-digesting foods in the suhoor.

Iftar is the meal which breaks the day's fast. This meal could include dates, following the Prophetic traditions. Dates will provide a refreshing burst of much needed energy. Fruit juices will also have a similar, revitalising effect. The meal should remain a meal and not become a feast! Try to minimise the rich, special dishes that traditionally celebrate the fast and keep to the advice included in the table above.

Many of the foods which are mentioned and encouraged are in the Holy Qur'an and the Sunnah (the Prophetic traditions) also correspond to modern guidelines on a healthy diet and will help to maintain balanced, healthy meals in Ramadan. The most commonly consumed foods by Prophet Mohammed (peace be upon him) were milk, dates, lamb/mutton and oats. Healthy foods mentioned in the Holy Qur'an are fruit and vegetables such as olives, onions, cucumber, figs, dates, grapes as well as pulses such as lentils. The encouragement of fish can be seen in the fact that Islamic Law spares fish from any specific slaughter requirements, making it easy to incorporate fish in a meal.





Spirituality and Food


Food has a great significance in Islam. It is associated with one's relationship with God. Chapter 20 verse 89 of the Qur'an states: "eat of the good and wholesome things that We have provided for your sustenance, but indulge in no excess therein".

The physical body is a gift from God; it is given to humans as an amanah (trust) to take care of for a fixed period. How much food is consumed and the choice of food has a direct impact on the physical and spiritual well-being of the person. The food that you consume affects your behaviour and personality. Wholesome, natural and healthy food assists the development of a good personality. Over-eating has long been frowned upon in Islam as it is thought to increase worldly appetites and cause sluggishness, thereby 'dulling' the soul, hampering spiritual growth and increase physical ailments.

The blessed Prophet said: "The children of Adam fill no vessel worse than their stomach. Sufficient for him is a few morsels to keep his back straight. If he must eat more, then a third should be for his food, a third for his drink, and a third left for air". (Sunan al-Tirmidhî)

Islam sees health and 'well-being' as much more than just bodily health: well-being or tranquillity requires a strong relationship with one's spirituality, good physical health, mental happiness, a sense of purpose and good character and relationships. Islam makes a strong connection between food and worship and teaches that all forms of worship have a deeper purpose and impact and contribute in someway to individual and social well-being.

In chapter 7 verse 31 the Qur'an is categorical "Eat and drink freely: But waste not by excess, for He does not like the wasters."



What Could You Gain

From Fasting?

Fasting is not only a physical but also a spiritual exercise that has many lasting benefits.

1. Heightened Consciousness of God

Fasting helps you to become less preoccupied with bodily appetites, and enables the heart and mind to become free to reflect over deeper spiritual matters, such as your relationship with God and with fellow human beings. It enables a person to develop sustained consciousness of God — "Tagwa".


2. Healthy living lifestyle

A fasting person learns to restrain and only responds to hunger and thirst in the heightened level of consciousness and discipline. Through fasting a person begins to appreciate the value of food. In the Qur'an "healthy and wholesome food" is described as the best of provisions. Thus fasting helps a person choose a healthier lifestyle by making small yet lasting changes to your daily diet.









3. Compassion and Charity

When fasting, you should think of those in need who may be fasting but have no food at the start or the end of their fast, those whose tiny children are also having to go hungry, out of poverty. The Prophet Muhammad described Ramadan as "the month of Mercy". His companions observed: "The Prophet (Muhammad) was the most generous of people, but he would be his most generous during Ramadan ...". (Sahih al-Bukhari)

4. Community Spirit

During Ramadan the one who fasts has heightened concerns for the well-being of the community, both rich and poor, intellectuals and labourers. Community spirit is promoted as people start fasting at the same time and break their fast at the same time, they reflect together through longer prayer and deeper devotions. It is greatly encouraged that families invite each other to break their fast together.

5. Fast without the spirit is empty of blessing

Abstention for long hours can be very hard physically and spiritually. However, by the end of the long month you should feel cleansed and with a renewed spirit. Ramadan is an ideal time to break bad habits, to reflect on personality and to improve your character.

Those who fast but make no change to their lives except delaying a meal cannot really expect to become any different in their behaviour during or after Ramadan. In many ways, this is a wasted fast, as stressed in a number of sayings of the blessed Prophet: "Fasting is not merely "abstention from eating and drinking, but also from vain speech and foul language". (Sahih al-Bukhari)

Fasting is, therefore, about much more than just giving up food and drink and hoping to lose a couple of pounds. By fasting a person reflects, acts and betters his or her character.









Potential Health Complications and Possible Remedies

Heartburn (Indigestion)

The stomach is an acidic environment, designed to digest food and kill bacteria. The stomach and oesophagus (gullet) are normally protected from this acid, by the body's own special juices, and "valves" between these two organs. If either too much acid is produced or the valve at the bottom of the oesophagus is "faulty", you may experience heartburn. Fasting usually reduces the amount of acid produced, but thoughts of food or the smell of it makes the brain order the stomach to produce more acid. Hence if there is a net increase in acid, heartburn could be a problem during the fast.

Those who are on regular medication for indigestion, such as antacids, eg Gaviscon, antihistamines, eg Zantac or proton pump inhibitors, eg Losec, Zoton, Nexium are advised to continue taking them, at the predawn meal for instance. The control of heartburn or belching can be aided by eating in moderation, avoiding oily, deep fried or very spicy food. Reducing your caffeine intake and/or stopping smoking can also be of benefit, if relevant. Preparations such as peppermint oil may help reduce belching or colic. Sleeping with your head raised on a few pillows and long term weight loss may also help prevent heartburn.





Poor Control of Diabetes

Those injecting insulin are advised not to fast, as the potential risk to health, both in the short and long term, of not taking insulin is too great.

People, who have their diabetes under control using tablets, should ensure that they visit their GP prior to Ramadan, in order to discuss any possible changes to their drug regime which would facilitate a safe fast. If not, such patients are at risk of poor control of their diabetes during and outside the fasting times.

Regular self-monitoring of your blood glucose is strongly advised. Low blood sugar levels (a hypo) is dangerous, and if untreated may lead to faint or fits, and hence must be strictly avoided. Feeling dizzy, sweaty and disorientated may all suggest "a hypo". If suspected, you should have a sugary drink, or place sugar or a sugar-rich sweet below the tongue, immediately.

Long acting tablets, such as glibenclamide, increase the risk of having "a hypo", and should be changed to a shorter acting variety before embarking on a fast.

Diabetics with further complications, such as angina or heart failure, stroke, retinopathy (eye disease), nephropathy (kidney disease) and neuropathy (nerve disease of feet/hands with numbness/loss of feeling) should seek careful advice from their doctor before starting a fast.











Headache

This is a common problem and has many causes. Headaches during a fast could commonly be due to dehydration or hunger, inadequate rest, or due to the absence of addictive substances such as caffeine or nicotine.

A moderate and balanced diet, especially not missing the pre-dawn meal, consuming adequate quantities of fluid and if necessary taking a dose of painkillers such as paracetamol, may all go a long way towards either preventing, or reducing the risk of developing a disabling headache. Headaches can be prevented by sensible measures, such as not exposing oneself to direct sunlight, wearing a hat when out, using sunglasses to reduce the effect of glare from the sun or relieving any tense muscles by a short gentle massage.

Those with a history of frequent and/or disabling migraines should aim to gain adequate control with lifestyle and/or medical treatment if required, prior to starting a fast.

Despite the above measures, if you has a persistent disabling headache, you should see a doctor.

Dehydration

Dehydration is a common occurrence during a fast. The body continues to lose water and salts through breathing, sweat and urine; the quantity of water loss will vary depending on the weather, how much you had to drink before your fast, the degree of physical exertion and the ability of the kidney to retain water and salts.

Prevention is always better than cure. However, if you do not adequately re-hydrate before a fast, your risk of dehydration is increased. This risk is higher in the elderly, and in those taking tablets such as diuretics. Depending on the severity of the dehydration, you may experience a general feeling of being unwell, lethargy, muscle cramps, dizziness, disorientation and even collapse or faint.

If you are unable to stand-up due to dizziness, or disorientated, you should urgently re-hydrate with regular moderate quantities of water, ideally with sugar and salt, such as Dioralyte or Lucozade.







If you faint due to dehydration, your legs should be raised above the head by others, and when awake, urgently rehydrated as outlined above.

Complications to any Common Chronic Diseases.

Diabetes has been discussed above.

Other common diseases such as high blood pressure and asthma are controlled using medications that need to be taken regularly every day of the year. This is necessary in order to avoid possible complications from inadequate control of disease, such as a stroke or "an asthma attack". A consultation with your doctor should provide an opportunity to discuss any potential options of completing a fast safely, whilst continuing to control your disease.

Constipation

Constipation could be a very irritating problem for the person undertaking a fast. Maintaining good hydration outside the fast, eating healthily, with lots of fruit and vegetables in your diet, increasing the fibre content using bran and being active, all help to keep your bowel motions as regular as would otherwise be expected.

If the problem persists, a short course of bulk laxatives may help.

Stress

Lack of food and water, changes of routine and shorter periods of sleep can all collude to increase stress levels. Hence it is important to address any potential sources of stress in order to minimise harmful effects. This can be helped by not taking on more than you can reasonably handle, not playing sports in the hot sun, controlling your anger in advance and abstaining from smoking.

Obesity

Strange, but true! For the unwary, or those lacking in caution, food consumed during the pre-dawn and dusk meals may lead to some unintended indulgence.

Obesity is an epidemic in the making, and has numerous complications in its own right. It is ironic that you are able to become overweight or obese while you are fasting. But if you do not approach the fast with discipline and will, the opportunity to lose weight and become healthier is wasted.




Frequently Asked Questions

A general point about illness and fasting: verse no. 184 of Chapter 2 of The Qur'an makes it explicitly clear that people who have an illness, or medical condition of any kind, that makes fasting injurious to their health, are exempt from fasting. To compensate for the missed fasts, they must fast later when they are healthy; if this is not possible due to long-term illness, they must feed the poor. The latter form of compensation is known as fidyah*.

Q1 Should a person with diabetes fast?

People who have their diabetes under control, either by diet or using tablets, may fast. However, their GP may require them to make changes to their medications in order to aid taking tablets outside the times of fasting. However, those who need insulin to control their diabetes are advised not to fast.











Q2 I get severe migraines when I skip meals and it gets worse when I fast. Should I fast at all?

Those with uncontrolled migraines are advised not to fast. However, adequate control of migraines is possible for most people with medications and alterations to lifestyle, and hence such avenues should be exhausted prior to deciding not to fast. Please see your GP for further advice on better control of your migraines.



Q3 Should a person with high or low blood pressure fast?


Those with well controlled high blood pressure with lifestyle alterations and/or medications may fast. Their GP may require a change to their medications in order to aid taking tablets outside the times of fasting.

A person with so-called 'low blood pressure', but who is otherwise is well and healthy may fast. An adequate intake of fluid and salts in the diet is advised.



Q4 Is fasting harmful when a woman is expecting a baby? Is it compulsory to fast while pregnant? It is not compulsory to fast while pregnant, but the woman will need to either make up those fasts later or, if unable to, should do fidyah*. There is some

medical evidence to show that fasting in pregnancy is not advisable. If a pregnant woman feels strong and healthy enough to fast, especially during the early part of the pregnancy, she may do so. If she does not feel well enough to fast, Islamic law gives her clear permission to not fast, and to make up the missed fasts later.



Yes. Smoking is wasteful and seriously injurious to health. Allah has entrusted us with a healthy body, and it is a violation to knowingly and willingly harm it. Ramadan provides a great opportunity to amend many bad habits and smoking is very definitely one of them.



Q6 From what age can children fast safely?

Children are required to fast from the age of puberty, and this not harmful. Fasting prior to this age is tolerated differently depending on the children's general health, nutrition and attitude. Fasting prior to the age of 7 or 8 years is not advisable, although it is a good idea to make young children aware of the practice of fasting in the community around them, and to give them a "taste" of fasting, e.g. for a few hours at a time. It is narrated that the companions would distract young children with toys if they were hungry







near the time of iftar, so that they would become accustomed to joining the rest of the community in eating at sunset, rather than eating just before sunset, during Ramadan. (Sahih al-Bukhari).

Q7 Can I use an asthma puffer during Ramadan?

Muslim jurists differ on this issue. Some leading jurists argue that using an asthma inhaler is not classified as eating or drinking, and is therefore permissible during fasting. Others argue that because the inhaler provides small amounts of liquid medicine to the lungs, it breaks the fast. Perhaps the former view is stronger, since the inhaler assists with breathing and helps the person to fast, which is to abstain from food, drink and sexual intercourse.

According to the first view, asthmatics may fast and use their inhalers whenever required during fasting.





Yes, but do not drink the water. Having a bath, shower or swimming has no effect on the fast. Clearly, no water should be swallowed during any of these activities, for that would break the fast.

Q9 Can a person fast if he is getting a blood transfusion in hospital?

No. A person receiving a blood transfusion is advised not to fast, on medical grounds. They may fast on the days when no transfusions are required.

Q10 I am on regular medication. Can I still fast? If such medication needs to be taken during the time of fasting, you should not fast. If this medication is required as treatment for a short illness, such fasts can be compensated for by fasting other days when well.

If medication is required on a long term basis as part of an on-going illness or condition such as high blood pressure or diabetes, then you may discuss with your GP whether to change your medications to long or short acting variety as appropriate, to enable you to take them outside the time of the fast.

If your disease is unstable or poorly controlled, it is















advised not to fast.

Those who are unable to compensate later for missed fasts, due to the long term use of medications, are advised to do fidhya*.

Q11 Does a breastfeeding woman have to fast?

No. Islamic law exempts a breastfeeding mother from fasting. Missed fasts will need to be compensated for by fasting or fidyah* once breastfeeding has ceased.

Q12 Can a Muslim patient take tablets, injections, inhalers or patches, whilst fasting?

Taking tablets invalidates the fast. However, injections, inhalers, patches, ear and eye drops, etc that are not comparable to food and drink do not break the fast, although it is advisable to avoid these if possible due to the difference of opinion amongst Muslim jurists on these issues.

Islamic law exempts the sick from fasting. Please see answer to Question 10 for further details.

Q13 Could dehydration become so severe that one has to break the fast?

Yes. Harmful levels of water loss could occur if the

person was poorly hydrated before commencing the fast, and/or made worse by activities during the day and weather conditions. If one produces very little or no urine, feels disorientated and confused, or faints due to dehydration, the fast should be broken in order to re-hydrate oneself.

Islam does not require that you harm yourself in fulfilling the fast. If a fast is broken, it will need to be compensated for by fasting at a later date.

Q14 Can I fast whilst I have dialysis?

Peritoneal dialysis requires the daily usage of fluid bags in the abdomen, and such patients are advised not to fast (please refer to fidyah* below). Haemodialysis is performed about 3 times a week, and results in significant shifts of fluids and salts within the body. Such patients are also advised not to fast (please refer to fidyah* below).

*Fidyah: is a method of compensation in Islam for a missed act of worship that must be otherwise fulfilled. If one is unable to fulfill a missed fast, for example due to an on-going illness should feed a hungry person (two meals per day) if he or she is able to. Please consult an Islamic scholar for further details.

Tips for doctors

Guidance Notes on the Muslim Fast during Ramadan

A quick reference for healthcare professionals

The Muslim fast during the month of Ramadan provides an opportunity for health professionals to promote health improvement amongst Muslims by offering lifestyle advice on topics such as diet and smoking cessation. It is important to recognise that the Muslim community, like any other, is diverse. This results in differences of perception and practice amongst Muslim patients. The start of Ramadan advances 11 days every year as it is based on a lunar calendar and will sometimes fall in the summer months, resulting in a more onerous fast than when it is in the winter months. In 2007 Ramadan starts in mid September.

Fasting during Ramadan is intended as a discipline and requires abstinence from anything taken orally during the hours of daylight, each consecutive day for a month. This includes water and smoking. Bleeding will also preclude



the fast for that day. Fasting is a requirement afte for all able bodied Muslims, of sound mind and goc but there are concessions for those who are on a journey or are ill, as well as for women during menstruation, pregnancy and breastfeeding. The concessions range from a complete exemption from fasting, for example for insulin dependant diabetics, to a requirement to make up the fast at a later date, in the case of those who are travelling or have their periods. A charitable contribution as compensation can serve as an alternative to keeping the fast later.

Since the month of Ramadan is an important time across the community, many patients will endeavour to keep their fasts during this time. With some conditions, this can clearly be harmful. The concessions exist specifically to ensure that people do not fast where it would be detrimental to their health, and this is very reasonable advice to give to patients.












- For acute illnesses, fasts can be broken and made up later.
- For many chronic conditions (e.g. ophthalmic, dermatological, neurological) fasting may have no impact and can continue as normal. If oral medication is required, fasting can be facilitated by reducing dosing to once or twice daily. Topical medication, including patches are acceptable, but injections are not as they may draw blood.
- Fasting itself may have a physiological impact on diseases affecting the cardiovascular, renal and GI systems such as hypertension, renal impairment, or peptic ulcers. Although fasting is possible in many of these circumstances, it may not be well tolerated physiologically, particularly in older patients and these may be the very patients who are most adamant that they wish to perform their fasts. In some cases where a chronic illness has taken a long while to stabilise and maintain, adjusting medication around the hours of fasting may simply be impractical and potentially harmful.



- During pregnancy and breastfeeding, the mother's nutrition and hydration are paramount and, whilst fasting is permissible, it is medically better for the mother to utilise the concession and compensate or make up the missed fasts.
- Physical examinations, including rectal and vaginal examinations do not invalidate the fast. Clinical investigations such as blood tests, or those requiring intravenous access or oral contrast would preclude the fast during those particular days. Where these are elective outpatient investigations, many patients may prefer to reschedule them outside Ramadan. Urgent investigations should clearly not be delayed.

Each situation needs to be judged on its own merits, in the context of the patient's observance of Ramadan. A comprehensive guide is not possible, but the examples above serve to illustrate that there is Islamic guidance to ensure that fasting is not prejudicial to a patient's health.





